The listing of claims presented below replaces all prior versions and listings of claims in the application.

Listing of Claims

- (Withdrawn) A pharmaceutical composition for treating a subject with recurrent spontaneous abortion comprising a therapeutically effective amount of chromosome No. 2 or fragment thereof containing fibronectin encoding gene obtained from a male mate of said subject.
- 2. (Withdrawn) The pharmaceutical composition according to claim 1, comprising isolated and intact chromosome No.2.
- (Withdrawn) The pharmaceutical composition according to claim 2, wherein said chromosome No.2 is isolated from somatocytes in M phase.
- 4. (Withdrawn) A pharmaceutical composition for treating a subject with recurrent spontaneous abortion comprising a therapeutically effective amount of a mixture of chromosome No. 2 or fragment thereof containing fibronectin encoding gene obtained from a plurality of males.
- (Withdrawn) The pharmaceutical composition according to claim 4 comprising isolated and intact chromosome No.2.
- 6. (Withdrawn) The pharmaceutical composition according to claim 5 wherein said chromosome No.2 is isolated from somatocytes in M phase.
- 7. (Withdrawn) The pharmaceutical composition according to claim 4 wherein the number of

said plurality of males is more than 3.

- (Withdrawn) The pharmaceutical composition according to claim 4 wherein the number of said plurality of males is more than 10.
- (Withdrawn) The pharmaceutical composition according to claim 4 wherein the number of said plurality of males is more than 20.
- 10. (Withdrawn) Chromosome No. 2 or fragment thereof containing fibronectin encoding gene obtained from a male as a medicament.
- 11. (Cancel)
- 12. (Cancel)
- 13. (Cancel)
- 14. (Currently amended) A method for treating a https://muman.subject with.immunological recurrent spontaneous abortion comprising administering to said, the subject in need of treatment a therapeutically effective amount of isolated.chromosome.No.2 or <a href="mailto:fragment-thereof-containing-fibronectin-encoding-gene-wherein-said-chromosome-is-obtained-from-a-human_male-mate-of-said-subject_wherein-said-chromosome-No.2 is isolated from somatocytes in M phase.
- 15. (Cancel)
- 16. (Cancel)
- 17. (Currently amended) A method for treating a <a href="https://mwn.nublect.nih.google.googl

- 18. (Cancel)
- 19. (Cancel)
- 20. (Previously presented) The method according to claim 17, wherein the number of said plurality of males is more than 3.
- 21. (Previously presented) The method according to claim 20, wherein the number of said plurality of males is more than 10.
- 22. (Previously presented) The method according to claim 21, wherein the number of said plurality of males is more than 20.